|	1/2010	1/2012	1/2014	1/2015	1/2016	1/2017	1/2018	1/2019
on dialysis	7304	7701	7911	8075	8087	8138	8249	8333
transplanted	5142	5605	5939	6058	6153	6349	6548	6671
Total number patients on Renal Replacement Therapy on 1 January	12446	13306	13850	14133	14240	14487	14797	15004

NFB

NBVN

Collège de médecins

	18-24	25-34	35-44	45-54	55-64	65-74	75-84	>=85
dialysis	53	159	341	651	1180	2168	2565	1215
transplantation	63	323	664	1230	1866	1801	617	106
% transplant patients per age-group	54%	67%	66%	65%	61%	45%	19%	8%

	1/2010	1/2012	1/2014	1/2015	1/2016	1/2017	1/2018	1/2019
Peritoneal dialysis	689	672	641	639	621	614	617	616
Hemodialysis - Low Care	1878	1919	1967	2127	2180	2306	2657	2732
Hemodialysis - High Care	4737	5110	5303	5309	5286	5218	4973	4985
Total number patients in dialysis on 1 January	7304	7701	7911	8075	8087	8138	8247	8333

Collège de médecins

NFB

NBVN

	1-12 / 2009	1-12 / 2011	1-12 / 2013	1-12 / 2014	1-12 / 2015	1-12 / 2016	1-12 / 2017	1-12 / 2018
■ first start RRT with transplantation	22	44	43	45	33	40	56	21
■ first start RRT on dialysis	2131	1985	2014	1937	2019	2047	2058	2105

Inflow on Renal Replacement Therapy per year								
Total number patients – first start on dialysis	2131	1985	2014	1937	2019	2047	2058	2105
% difference per year – first start on HD or PD				-4%	+4%	+1%	+0,5%	+2%

Collège de médecins

NFB

NBVN

	1-12 / 2009	1-12 / 2011	1-12 / 2013	1-12 / 2014	1-12 / 2015	1-12 / 2016	1-12 / 2017	1-12 / 2018
Outflow by transplantation	455	468	458	436	495	480	485	473
Outflow by death	1482	1427	1464	1390	1466	1548	1499	1491

| Outflow on dialysis per year Mortality per 100 patient years | 17,7 | 16,4 | 16,4 | 15,4 | 16,1 | 16,9 | 16,2 | 15,9 |

Patient survival - dialysis patients
Kaplan Meier method

Kidney graft survival – transplant patients
Kaplan Meier method

cohort 2006-2010
cohort 2008-2012
cohort 2011-2015

deceased donor - cohort 2008-2012
deceased donor - cohort 2011-2015
living donor - cohort 2008-2012
living donor - cohort 2011-2015

NFB
NBVN
Collège de médecins

Survival analysis : patient survival of dialysis patients & kidney graft survival in transplant patients (deceased and living donor) **- comparison of different cohorts** *Analysis made by the ERA-EDTA registry*

Patient survival - dialysis patients
renal disease = diabetic nephropathy
Kaplan Meier method

Kidney graft survival – transplant patients
renal disease = diabetic nephropathy
Kaplan Meier method

Percentage patient survival while on dialysis
years after start dialysis

Percentage graft survival after transplantation
years after transplantation

DM - cohort 2008-2012
DM - cohort 2011-2015

DM - deceased donor - cohort 2008-2012
DM - deceased donor - cohort 2011-2015

NFB
NBVN
Collège de médecins

Survival analysis : patient survival of dialysis patients & kidney graft survival in transplant patients (deceased donor) **- comparison of different cohorts** *Analysis made by the ERA-EDTA registry*

Expected remaining lifetime (years) for general population, patients on dialysis & patients living with a transplant - Belgium

Analysis made by the ERA-EDTA registry